


## Concealed wall-mounted mixer spout on right -

---

35 714 970




- red brass, lead-free
- 2x female thread 1/2" connections
- 3x female thread 1/2" outlet
- 3x sealing plug 1/2"
- 3x dust cover
- soundproofing
- gauge 100 mm

NOTE: Important for certain series!  
Due to minimum rough-in requirements, a framing  
of 2x6 studs is needed.




## Concealed wall-mounted mixer spout on right -

35 714 970



### Flow rate chart



### Codes & Standards

ASME  
A112.18.1/CSA  
B125.1



## Concealed wall-mounted mixer spout on right -

---

35 714 970


### Certificates

---

IAPMO\_4976 (6).

**Concealed wall-mounted mixer spout on right -**

35 714 970



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	09 11 11 043 90	accessories	1	2
2	09 14 10 042 90	seal	3	2
3	09 24 03 210 10 90	nipple	1	2
4	09 14 10 003 90	seal	3	2
5	04 31 20 006 00 90	plug	2	2
6	09 21 02 102 90	cap	3	2
7	09 24 03 211 10 90	nipple	1	2
8	04 31 20 037 00 90	plug	1	2
9	09 24 03 209 10 90	nipple	1	2
10	04 30 31 024 01 90	fixing set	1	2