

36 503 977



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

Recommended miscellaneous



**xGRID Attachment set for
integrating in the dry wall
construction -**

12 340 970 90


Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90

36 503 977

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1/CSA B125.1	DIN 4109	EN 1111	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	



MADISON xTOOL Concealed thermostat without volume control 3/4" - Chrome

MADISON

36 503 977

Certificates

LGA_29

LGA_29

DVGW_DW-
6512DN0

WRAS_2011


36 503 977

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

Product version from 6/30/2022 to 5/11/2021





MADISON xTOOL Concealed thermostat without volume control 3/4" - Chrome

MADISON

36 503 977

Spare parts list

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

Product version from 6/30/2022 to 5/11/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 15 02 063 00 90	cartridge	10	2