

36 513 979



- AQUAPRESSURE FLOW, max. flow rate 6.8 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection
- This product reduces water consumption by % (compared to requirements of EPAAct '92)
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

| | | |
|--|--------------------------------|--------------------|
| | Brushed Champagne (22kt Gold) | 36 513 979-46 0010 |
| | Chrome | 36 513 979-00 0010 |
| | Brushed Platinum | 36 513 979-06 0010 |
| | Platinum | 36 513 979-08 0010 |
| | Dark Chrome | 36 513 979-19 0010 |
| | Light Gold | 36 513 979-26 0010 |
| | Brushed Light Gold | 36 513 979-27 0010 |
| | Brushed Durabronze (23kt Gold) | 36 513 979-28 0010 |
| | Matte Black | 36 513 979-33 0010 |
| | Brushed Bronze | 36 513 979-42 0010 |
| | Champagne (22kt Gold) | 36 513 979-47 0010 |
| | Brushed Chrome | 36 513 979-93 0010 |
| | Brushed Dark Platinum | 36 513 979-99 0010 |

Required miscellaneous



Concealed wall installation box - 35 206 970-90 0010
 • max. recess depth 173 mm
 • min. recess depth 100 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous



xGRID Installation track 555 mm - 12 360 970 90




WATER FAN vertical Concealed body spray - Brushed Champagne (22kt Gold)


IMO

36 513 979

mm [inches]



Flow rate chart




Codes & Standards

ASME
A112.18.1/CSA
B125.1

California Energy
Commission
(CEC)

36 513 979

Product version from 10/1/2023





WATER FAN vertical Concealed body spray - Brushed Champagne (22kt Gold)

IMO

36 513 979

Spare parts list

Product version from 10/1/2023

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--------|---------------|---------------|
| | 90 27 99 002 00-46 | insert | 6 | 30 |