

## BIG RAIN Rain panel for recessed ceiling installation manual control - Stainless Steel

IMO

41 401 979-85 0010

41 401 979



CL.1, LISSÉ, VAIA, META, CYO

- head spray 200 x 160mm, 99 nozzles
- body spray 360 x 280mm, 142 nozzles
- with anti-scale system

### technical data:

- minimum flow rate 9.5 l/min (both rain modes together)
- flow at 3bar flow pressure in conjunction with xTOOL: 39I/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight: 12kg

### technical data:

### plumbing:

- recommended water hardness: 6-7 °dH if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- feed pipe (hot/cold): 2x DN 20
- for the optimum choice of hot water storage device taking into consideration additional drawing-off points and the frequency with which BigRain is used - the specific demand needs to be assessed.
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Must be installed with three-way diverter 35 104 970 -90 0010 (rough included)


Three-way diverter ensures that the product does not exceed the max. flow rate of 2.5 gpm at any setting. It does not permit the use of two functions simultaneously.

Three-way diverter trim is sold separately

Please refer to Planning Guide for proper sizing and installation methods

Pre-assembly kit for three-way diverter included


Fits: IMO, LULU, MADISON, MEM, TARA,




Stainless Steel



# BIG RAIN Rain panel for recessed ceiling installation manual control - Stainless Steel



### Flow rate chart








# BIG RAIN Rain panel for recessed ceiling installation manual control - Stainless Steel

41 401 979 Parts for other finishes can be found here: Brushed Stainless Steel



# Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 35 010 00 90	fixing set	4	2
2	04 17 09 001 00-85	casing	1	30
3	12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	2	2
4	90 24 03 027 02 90	nipple	2	2
5	04 21 50 004 01 90	accessories	2	2
6	04 12 05 004 10 90	shower	1	-
	Spare part can no longer	be ordered, please order the replacement item		
7	09 30 30 155 90	screw	4	2
8	09 31 20 036 90	plug	4	2
9	04 29 03 036 00 90	insert	241	60
10	04 11 02 113 02-85	cover	1	30
11	09 24 04 112 10 90	nipple	1	2
12	09 23 01 042 90	insert	1	2
13	09 24 03 027 90	nipple	1	2
14	09 14 20 025 90	seal	1	2
	05 404 070 00 0040	Concealed three-way diverter -	1	-
15	35 104 970-90 0010			
15		be ordered, please order the replacement item		