







ST 110 201 6892



- 235mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 370 mm
- test
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 5.7 l/min at 3 bar flow pressure
- suspended spray with stainless steel spring (can be pivoted and locked)
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|--|-----------------------|-------------------------|
|  | Chrome | ST 110 201 6892-00 0010 |
|  | Brushed Platinum | ST 110 201 6892-06 0010 |
|  | Platinum | ST 110 201 6892-08 0010 |
|  | Dark Chrome | ST 110 201 6892-19 0010 |
|  | Brushed Chrome | ST 110 201 6892-93 0010 |
|  | Brushed Dark Platinum | ST 110 201 6892-99 0010 |

Individual components of this set

You need the following components for this set



1x 20 815 892-00 0010



1x 27 789 970-00 0010



TARA Three-hole mixer with profi spray set - Chrome

TARA

ST 110 201 6892

ST 110 201 6892



- 235mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 370 mm
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

| | | |
|--|-------------------------------|--------------------|
|  | Chrome | 20 815 892-00 0010 |
|  | Brushed Platinum | 20 815 892-06 0010 |
|  | Platinum | 20 815 892-08 0010 |
|  | Durabrand (23kt Gold) | 20 815 892-09 0010 |
|  | Dark Chrome | 20 815 892-19 0010 |
|  | Brushed Durabrand (23kt Gold) | 20 815 892-28 0010 |
|  | Matte Black | 20 815 892-33 0010 |
|  | Brushed Champagne (22kt Gold) | 20 815 892-46 0010 |
|  | Champagne (22kt Gold) | 20 815 892-47 0010 |
|  | Brushed Chrome | 20 815 892-93 0010 |
|  | Brushed Dark Platinum | 20 815 892-99 0010 |

Recommended miscellaneous

AIR SWITCH Control button - Chrome 10 713 970-00




Recommended miscellaneous


Dispenser with rosette - Chrome 82 444 970-00



ST 110 201 6892



Flow rate chart



Codes & Standards

| | | | |
|--------------------|---------------------------------|--|--------------|
| ADA | ASME A112.18.1/CSA B125.1 | California Energy Commission (CEC) | NSF/ANSI 372 |
| NSF/ANSI/CAN 61 | | | |

Certificates

IAPMO_N-4976. IAPMO_4976 (6). IAPMO_6397.




TARA Three-hole mixer with profi spray set - Chrome

TARA

ST 110 201 6892

ST 110 201 6892



Fits: ELIO, TARA, TARA ULTRA







- spray flow
- automatic diverter for spout/Profi spray set
- height of mixer 665 mm
- individual rosette diameter 55mm
- profi spray hole diameter 30mm
- sprayface with anti-scaling system
- suspended spray with stainless steel spring (can be pivoted and locked)
- lead-free

The profi spray can be installed either with or without a rosette

Can only be combined with 32800790, 33826888, 32815888, 20815892, 33826875.

Intrinsic protection against back flow.

Button has to be pressed while using.

| | | |
|--|-----------------------|--------------------|
|  | Chrome | 27 789 970-00 0010 |
|  | Brushed Platinum | 27 789 970-06 0010 |
|  | Platinum | 27 789 970-08 0010 |
|  | Dark Chrome | 27 789 970-19 0010 |
|  | Brushed Chrome | 27 789 970-93 0010 |
|  | Brushed Dark Platinum | 27 789 970-99 0010 |




TARA Three-hole mixer with profi spray set - Chrome


TARA

ST 110 201 6892

ST 110 201 6892



Flow rate chart



Codes & Standards

NSF/ANSI 372

Certificates

IAPMO_6397.



TARA Three-hole mixer with profi spray set - Chrome

TARA

ST 110 201 6892

ST 110 201 6892

