

## VAIA Bath spout for wall mounting - Brushed Dark Platinum

VAIA

13 801 809 Product version from 3/13/2017



- 200mm projection
- circular normal flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 21.5 l/min at 3 bar flow pressure
- WRAS

|  |                                |               |
|--|--------------------------------|---------------|
|   | Brushed Dark Platinum          | 13 801 809-99 |
|   | Chrome                         | 13 801 809-00 |
|   | Brushed Platinum               | 13 801 809-06 |
|   | Platinum                       | 13 801 809-08 |
|   | Dark Chrome                    | 13 801 809-19 |
|   | Brushed Durabronze (23kt Gold) | 13 801 809-28 |
|   | Brushed Dark Brass             | 13 801 809-39 |
|   | Brushed Bronze                 | 13 801 809-42 |
|   | Brushed Champagne (22kt Gold)  | 13 801 809-46 |
|  | Champagne (22kt Gold)          | 13 801 809-47 |

### Recommended miscellaneous



#### Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## VAIA Bath spout for wall mounting - Brushed Dark Platinum

---

VAIA

13 801 809 Product version from 3/13/2017

### Certificates and sustainability

---

WRAS\_2306

LGA\_29



## Spare parts list

| No. | Item Number        | Name    | Quantity used | Delivery time |
|-----|--------------------|---------|---------------|---------------|
| 1   | 09 24 03 269 90    | nipple  | 1.00          | 2             |
| 3   | 09 27 80 014-99    | rosette | 1.00          | 20            |
| 4   | 90 28 22 315 00-99 | spout   | 1.00          | 20            |
| 2   | 09 14 10 084 90    | seal    | 1.00          | 2             |