

17 861 625



- 145mm projection
- rigid, thermally insulated spout
- laminar flow
- height of mixer 249 mm
- height up to laminar flow regulator 184 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (137mm x 159mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

• Spout ring cannot be removed.

• This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

**A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.**

**In addition, the installation must be above a kitchen sink.**

**The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.**

**Detailed planning information and technical data can be found at [www.dornbracht.com/professional](http://www.dornbracht.com/professional)**

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

In addition, the installation must be above a kitchen sink.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

Detailed planning information and technical data can be found at [www.dornbracht.com/professional](http://www.dornbracht.com/professional)

|  |                               |               |
|--|-------------------------------|---------------|
|  | Brushed Chrome                | 17 861 625-93 |
|  | Chrome                        | 17 861 625-00 |
|  | Brushed Platinum              | 17 861 625-06 |
|  | Platinum                      | 17 861 625-08 |
|  | Durabrand (23kt Gold)         | 17 861 625-09 |
|  | Dark Chrome                   | 17 861 625-19 |
|  | Brushed Durabrand (23kt Gold) | 17 861 625-28 |
|  | Matte Black                   | 17 861 625-33 |
|  | Brushed Champagne (22kt Gold) | 17 861 625-46 |
|  | Champagne (22kt Gold)         | 17 861 625-47 |
|  | Brushed Dark Platinum         | 17 861 625-99 |

#### Required miscellaneous



**Hot water tank incl. filter -**


**12 892 970 90**

#### Required miscellaneous




**Hot water tank incl. filter -**

**12 892 970 90**



### Flow rate chart



## Certificates

IAPMO\_N-4976.      GDV\_0400297.      IAPMO\_6397.

17 861 625

