


Deck valve anti-clockwise closing hot - Brushed Platinum

SERIES SPECIFIC

20 000 741 Product version from 4/1/2023




- hole diameter 32 mm
- handle Ø 60mm
- without rosette
- with hot marking
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Brushed Platinum | 20 000 741-06 |
|  | Chrome | 20 000 741-00 |
|  | Dark Chrome | 20 000 741-19 |
|  | Brushed Durabrass (23kt Gold) | 20 000 741-28 |
|  | Matte Black | 20 000 741-33 |
|  | Brushed Champagne (22kt Gold) | 20 000 741-46 |
|  | Champagne (22kt Gold) | 20 000 741-47 |
|  | Brushed Dark Platinum | 20 000 741-99 |

20 000 741 Product version from 4/1/2023

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|------------------------|-----------------------------|-----------|----------|
| ASME A112.18.1 | cUPC | DIN 4109 | ISO 3822 |
| Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen | |



Deck valve anti-clockwise closing hot - Brushed Platinum

SERIES SPECIFIC

20 000 741 Product version from 4/1/2023

Certificates and sustainability

IAPMO_4976 WRAS_2103 LGA_28

Deck valve anti-clockwise closing hot - Brushed Platinum

SERIES SPECIFIC

20 000 741 Product version from 4/1/2023

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|----------------|---------------|---------------|
| 7 | 09 29 06 107-00 | spindle | 1.00 | 10 |
| 10 | 04 23 10 032 78 90 | fixing set | 1.00 | 2 |
| 13 | 09 23 10 012 90 | nut | 1.00 | 2 |
| 3 | 09 27 74 003-06 | rosette | 1.00 | 10 |
| 11 | 04 17 11 023 10 90 | distributor | 1.00 | 2 |
| 9 | 04 17 11 058 32 90 | side panel | 1.00 | 2 |
| 12 | 09 30 11 059 90 | disc | 1.00 | 2 |
| 8 | 90 90 03 132 00 90 | top | 1.00 | 2 |
| 1 | 09 20 74 006-06 | handle (hot) | 1.00 | 10 |
| 5 | 90 14 15 020 03 90 | ring | 1.00 | 2 |
| 2 | 90 31 11 007 00 90 | pin | 1.00 | 2 |
| 4 | 90 14 10 060 00 90 | seal | 1.00 | 2 |
| 6 | 90 23 30 023 00 90 | nut | 1.00 | 2 |