








CYO Three-hole basin mixer with pop-up waste - Platinum / Brushed Platinum

20 713 811




- 167mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

NOTE: The handle inserts must be ordered separately from the fittings!


| | | |
|---|---|---------------|
|  | Platinum / Brushed Platinum | 20 713 811-36 |
|  | Chrome | 20 713 811-00 |
|  | Brushed Platinum | 20 713 811-06 |
|  | Dark Chrome | 20 713 811-19 |
|  | Brushed Durabronze (23kt Gold) | 20 713 811-28 |
|  | Durabronze / Brushed Durabronze (23kt Gold) | 20 713 811-38 |
|  | Brushed Dark Platinum | 20 713 811-99 |

CYO Three-hole basin mixer with pop-up waste - Platinum / Brushed Platinum

20 713 811



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



CYO Three-hole basin mixer with pop-up waste - Platinum / Brushed Platinum

20 713 811

Certificates


WRAS_2111

LGA_38

CYO Three-hole basin mixer with pop-up waste - Platinum / Brushed Platinum

20 713 811

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---|---------------|---------------|
| 1 | 13 717 811-36 | CYO Deck-mounted basin spout without pop-up waste - Platinum / Brushed Platinum | 1 | 20 |
| 2 | 90 18 40 290 00-36 | handle | 2 | 20 |
| 3 | 04 30 11 038 67 90 | fixing set | 2 | 2 |
| 4 | 04 17 11 055 61 90 | side panel | 2 | 2 |
| 5 | 04 30 04 096 00 90 | hose | 2 | 2 |
| 6 | 10 125 970-36 | pop-up waste | 1 | - |

Spare part can no longer be ordered, please order the replacement item