



IMO Single-hole basin mixer with stand pipe without pop-up waste - Dark Chrome

22 585 671    Product version from 4/1/2024



- 195mm projection
- fixed spout
- rectangular, air-enriched flow
- total height 1038 - 1103 mm
- height up to aerator 970 – 1040 mm
- rosette Ø 135 mm
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Dark Chrome	22 585 671-19
	Chrome	22 585 671-00
	Brushed Platinum	22 585 671-06
	Brushed Light Gold	22 585 671-27
	Matte Black	22 585 671-33
	Brushed Chrome	22 585 671-93
	Brushed Dark Platinum	22 585 671-99

Required miscellaneous


	<b>Concealed floor mounting -</b> <ul style="list-style-type: none"><li>• min. recess depth mm</li><li>• max. recess depth mm</li></ul>	35 945 970 90
--	---	---------------

Required miscellaneous


	<b>Concealed floor mounting -</b> <ul style="list-style-type: none"><li>• min. recess depth mm</li><li>• max. recess depth mm</li></ul>	35 945 970 90
--	---	---------------

IMO Single-hole basin mixer with stand pipe without pop-up waste - Dark Chrome

22 585 671    Product version from 4/1/2024  
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109                      ISO 3822                      Ü-Zeichen



## IMO Single-hole basin mixer with stand pipe without pop-up waste - Dark Chrome

---

22 585 671 Product version from 4/1/2024


### Certificates

---

LGA\_38

# IMO Single-hole basin mixer with stand pipe without pop-up waste - Dark Chrome

22 585 671 Product version from 4/1/2024



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 20 67 019 00-19	handle	1	20
2	90 28 30 059 00-19	cover	1	-
Spare part can no longer be ordered, please order the replacement item				
3	09 14 10 102 90	seal	1	2
4	90 23 10 146 00 90	nut	1	2
5	90 15 05 042 00 90	cartridge	1	2
6	09 27 88 005-19	rosette	1	20
7	04 28 22 022 10 90	connection	2	2
8	90 28 22 574 00-19	pipe	1	20
9	09 14 10 084 90	seal	1	2
10	09 14 10 018 90	seal	1	2
11	90 28 22 407 00-19	spout	1	20