

TARA Bath mixer for wall mounting with hand shower set - Dark Chrome

25 133 892



- spout: circular, air-enriched flow
- max. flow 22 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 240mm projection
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- WRAS


Intrinsic protection against back flow.

Stand pipes combination possible on request (special production).


| | | |
|--|--------------------------------|---------------|
|  | Dark Chrome | 25 133 892-19 |
|  | Chrome | 25 133 892-00 |
|  | Brushed Platinum | 25 133 892-06 |
|  | Platinum | 25 133 892-08 |
|  | Brushed Durabronze (23kt Gold) | 25 133 892-28 |
|  | Matte Black | 25 133 892-33 |
|  | Brushed Champagne (22kt Gold) | 25 133 892-46 |
|  | Champagne (22kt Gold) | 25 133 892-47 |
|  | Brushed Chrome | 25 133 892-93 |
|  | Brushed Dark Platinum | 25 133 892-99 |

TARA Bath mixer for wall mounting with hand shower set - Dark Chrome

25 133 892



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



TARA Bath mixer for wall mounting with hand shower set - Dark Chrome

25 133 892

Certificates

WRAS_2210

LGA_18

TARA Bath mixer for wall mounting with hand shower set - Dark Chrome

25 133 892

Parts for other
finishes can be found
here: [Chrome](#)

