

Shower system with single-lever shower mixer without hand shower - Chrome SERIES SPECIFIC

26 024 661 Product version from 10/1/2023



- shower with fixed riser projection 450mm
- pivotable 180°
- overhead shower: rain flow
- rain shower Ø 300 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 10 l/min
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm
- quick clearing
- WRAS

This article does not include a hand shower!

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.

















Intrinsic protection against back flow.

This article does not include a hand shower!

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.


Intrinsic protection against back flow.

	Chrome	26 024 661-00
	Brushed Platinum	26 024 661-06
	Platinum	26 024 661-08
	Dark Chrome	26 024 661-19
	Dark Chrome	26 024 661-19 0010
	Light Gold	26 024 661-26
	Brushed Light Gold	26 024 661-27
	Brushed Durabronze (23kt Gold)	26 024 661-28
	Matte Black	26 024 661-33
	Brushed Dark Brass	26 024 661-39
	Brushed Bronze	26 024 661-42
	Brushed Dark Bronze (PVD)	26 024 661-43
	Brushed Champagne (22kt Gold)	26 024 661-46
	Champagne (22kt Gold)	26 024 661-47
	Brushed Chrome	26 024 661-93
	Brushed Dark Platinum	26 024 661-99


Shower system with single-lever shower mixer without hand shower - Chrome SERIES SPECIFIC

26 024 661 Product version from 10/1/2023


Required miscellaneous

	Concealed wall mounting - •max. recess depth 103 mm •min. recess depth 78 mm	35 003 970 90
---	---	---------------


Required miscellaneous

	Hand shower FlowReduce - Chrome	28 012 979-00 0010
---	--	--------------------

Required miscellaneous

	Hand shower - Chrome	28 016 979-00
---	-----------------------------	---------------

Required miscellaneous

	Hand shower - Chrome	28 015 979-00
---	-----------------------------	---------------


Required miscellaneous

	Hand shower FlowReduce - Chrome	28 018 979-00 0010
---	--	--------------------


Required miscellaneous

	SERIES-VARIOUS Hand shower FlowReduce - Chrome	28 029 979-00 0010
---	---	--------------------


Required miscellaneous

	Hand shower - Chrome	28 017 979-00
---	-----------------------------	---------------


Required miscellaneous

	Hand shower - Chrome	28 018 979-00
---	-----------------------------	---------------

Required miscellaneous

	Hand shower FlowReduce - Chrome	28 016 979-00 0010
---	--	--------------------

Required miscellaneous

	Hand shower - Chrome •spray head Ø 120mm •Hand shower see page {PAGE} •Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate l/min (at 3 bar)	28 012 979-00
---	--	---------------

Required miscellaneous

	SERIES-VARIOUS Hand shower FlowReduce - Chrome	28 027 979-00 0010
---	---	--------------------


Required miscellaneous

	SERIES-VARIOUS Hand shower FlowReduce - Chrome	28 025 979-00 0010
---	---	--------------------


Shower system with single-lever shower mixer without hand shower - Chrome SERIES SPECIFIC

26 024 661 Product version from 10/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Shower system with single-lever shower mixer without hand shower - Chrome SERIES SPECIFIC


26 024 661 Product version from 10/1/2023

Certificates and sustainability

Belgaqua_21-023-2 WRAS_2212 LGA_29

Shower system with single-lever shower mixer without hand shower - Chrome SERIES SPECIFIC

26 024 661 Product version from 10/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	11 09 17 11 049-00	holder	1.00	10
	46 09 11 10 080 20-00	connection	1.00	10
	45 09 24 04 215 20 90	nipple	1.00	2
	40 04 31 20 034 00 90	plug	1.00	2
	5 05 30 31 025 00 90	fixing set	2.00	2
	42 09 17 11 024 20 90	distributor	1.00	60
	25 90 20 66 017 00-00	handle	1.00	10
	54 28 050 920-00	holder	1.00	60
	3 09 23 01 039 90	sieve	1.00	2
	16 09 27 88 010-00	rosette	1.00	10
	1 04 12 05 091 00-00	shower	1.00	10
	30 09 31 09 102 20-00	pull-rod	1.00	10
	38 09 14 10 139 90	seal	6.00	2
	28 90 15 05 064 00 90	cartridge	1.00	2
	17 09 14 10 101 90	seal	1.00	2
	10 09 11 10 083-00	connection	1.00	10
	19 09 11 10 081 20-00	connection	1.00	10
	49 09 21 02 128 90	sleeve	1.00	2
	18 09 31 11 061 90	pin	2.00	2
	33 09 20 88 002-00	handle	1.00	10
	20 09 31 11 049 90	pin	3.00	2



Shower system with single-lever shower mixer without hand shower - Chrome SERIES SPECIFIC

26 024 661 Product version from 10/1/2023

55	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome	1.00	10
22	09 24 03 162 20 90	nipple	1.00	2
43	09 21 02 132-00	lid	1.00	10
7	09 27 89 000-00	rosette	1.00	10
47	09 27 88 008-00	rosette	1.00	10
32	09 21 34 081 20-00	nipple	1.00	10
37	09 30 30 111 90	screw	1.00	2
48	09 24 04 210 10 90	nipple	1.00	2
27	09 24 04 341 90	nut	1.00	60
8	09 14 10 006 90	seal	1.00	2
41	04 28 22 034 00-00	pipe	1.00	10
35	09 31 20 027 10-00	plug	1.00	10
34	09 14 10 132 90	seal	1.00	2
14	04 28 22 134 20-00	pipe	1.00	10
31	09 14 10 112 90	seal	1.00	2
52	09 24 03 115 20-00	nipple	1.00	10
26	09 28 30 042-00	cover	1.00	10
2	09 24 03 163 20-00	adaptor	1.00	10
39	04 28 22 038 00 90	connection	2.00	2
29	90 16 02 023 00 90	spring	1.00	2
36	09 24 03 149 10-00	adaptor	1.00	10
50	09 24 77 002 90	nut	1.00	2
4	90 28 22 082 00-00	spout	1.00	10
6	09 30 11 103 90	holder	2.00	2
24	09 31 11 024 90	pin	1.00	2
13	09 14 10 122 90	seal	1.00	2
23	90 14 10 032 00 90	seal	2.00	2
51	90 23 01 141 00 90	back-flow preventer	1.00	2
53	90 21 02 069 00-00	cover	1.00	10
21	90 14 10 010 00 90	seal	2.00	2
12	90 14 10 077 00 90	seal	1.00	2
9	90 31 11 030 00 90	pin	1.00	2
15	90 14 10 055 00 90	seal	2.00	2
44	90 14 10 063 00 90	seal	3.00	2