

Hand shower set with integrated shower holder - Brushed Dark Platinum

TARA

27 802 660



Fits: TARA, VAIA, META

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- WRAS 1912049

Intrinsic protection against back flow.

	Brushed Dark Platinum	27 802 660-99
	Chrome	27 802 660-00 0010
	Chrome	27 802 660-00
	Brushed Platinum	27 802 660-06 0010
	Brushed Platinum	27 802 660-06
	Platinum	27 802 660-08
	Platinum	27 802 660-08 0010
	Dark Chrome	27 802 660-19
	Dark Chrome	27 802 660-19 0010
	Brushed Durabrass (23kt Gold)	27 802 660-28 0010
	Brushed Durabrass (23kt Gold)	27 802 660-28
	Matte Black	27 802 660-33 0010
	Matte Black	27 802 660-33
	Brushed Champagne (22kt Gold)	27 802 660-46
	Brushed Champagne (22kt Gold)	27 802 660-46 0010
	Champagne (22kt Gold)	27 802 660-47
	Champagne (22kt Gold)	27 802 660-47 0010
	Brushed Chrome	27 802 660-93
	Brushed Chrome	27 802 660-93 0010
	Brushed Dark Platinum	27 802 660-99 0010

Recommended miscellaneous

Concealed wall elbow -


35 085 970 90



- max. recess depth 163 mm
- min. recess depth 90 mm

27 802 660

mm [inches]



Flow rate chart



Certificates


LGA_29985.

WRAS_1912049.

LGA_29570.

Belgaqua_19_83_27. Belgaqua_24-007-27_7.

27 802 660



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 019 979-99	Hand shower - Brushed Dark Platinum	1	30
2	28 490 660-99	Wall elbow with integrated shower holder - Brushed Dark Platinum	1	30
3	90 30 02 072 00-99	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Dark Platinum	1	30
4	90 14 20 026 00 90	seal	1	2