

LISSÉ Hand shower set with individual rosettes FlowReduce - Chrome




LISSÉ

27 803 845



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Chrome	27 803 845-00 0010
	Chrome	27 803 845-00
	Brushed Platinum	27 803 845-06
	Brushed Platinum	27 803 845-06 0010
	Dark Chrome	27 803 845-19 0010
	Dark Chrome	27 803 845-19
	Matte Black	27 803 845-33 0010
	Matte Black	27 803 845-33
	Brushed Chrome	27 803 845-93
	Brushed Chrome	27 803 845-93 0010

Recommended miscellaneous




Concealed wall elbow -

35 085 970 90


- max. recess depth 163 mm
- min. recess depth 90 mm

27 803 845

mm [inches]



Flow rate chart




Certificates

LGA_29984.

IAPMO_4976 (1).

27 803 845



27 803 845-FF 00 10

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 450 845-00	LISSÉ Wall elbow - Chrome	1	10
2	90 14 20 026 00 90	seal	1	2
3	28 050 845-00	LISSÉ Wall bracket - Chrome	1	10
4	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome	1	10
5	28 014 979-00 0010	Hand shower - Chrome	1	-
Spare part can no longer be ordered, please order the replacement item				
28018979-000010		Hand shower FlowReduce - Chrome		