

## LISSE Hand shower set with individual rosettes - Brushed Platinum















LISSE

27 803 845



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- WRAS 2304001

Intrinsic protection against back flow.

	Brushed Platinum	27 803 845-06
	Chrome	27 803 845-00
	Chrome	27 803 845-00 0010
	Brushed Platinum	27 803 845-06 0010
	Dark Chrome	27 803 845-19 0010
	Dark Chrome	27 803 845-19
	Brushed Light Gold	27 803 845-27
	Brushed Light Gold	27 803 845-27 0010
	Matte Black	27 803 845-33 0010
	Matte Black	27 803 845-33
	Brushed Chrome	27 803 845-93
	Brushed Chrome	27 803 845-93 0010
	Brushed Dark Platinum	27 803 845-99 0010
	Brushed Dark Platinum	27 803 845-99

### Recommended miscellaneous

#### Concealed wall elbow -


35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm

27 803 845

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

### Ü-Zeichen



## LISSE Hand shower set with individual rosettes - Brushed Platinum

---

LISSE

27 803 845

### Certificates

---

WRAS\_2304


LGA\_29

LGA\_29

27 803 845

Product version from 3/9/2016 to 6/3/2020

**Product version from 6/3/2020**





## LISSE Hand shower set with individual rosettes - Brushed Platinum

LISSE

27 803 845

### Spare parts list

Product version from 3/9/2016 to 6/3/2020

#### Product version from 6/3/2020

No.	Item Number	Name	Quantity used	Delivery time
	28 450 845-06	LISSE Wall elbow - Brushed Platinum	5	10