

## LISSE Hand shower set with individual rosettes FlowReduce - Brushed Light Gold

LISSE

27 803 845



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Light Gold	27 803 845-27 0010
	Chrome	27 803 845-00
	Chrome	27 803 845-00 0010
	Brushed Platinum	27 803 845-06
	Brushed Platinum	27 803 845-06 0010
	Dark Chrome	27 803 845-19 0010
	Dark Chrome	27 803 845-19
	Brushed Light Gold	27 803 845-27
	Matte Black	27 803 845-33 0010
	Matte Black	27 803 845-33
	Brushed Chrome	27 803 845-93
	Brushed Chrome	27 803 845-93 0010
	Brushed Dark Platinum	27 803 845-99 0010
	Brushed Dark Platinum	27 803 845-99

### Recommended miscellaneous

#### Concealed wall elbow -

35 085 970 90




- min. recess depth 90 mm
- max. recess depth 163 mm

# LISSE Hand shower set with individual rosettes FlowReduce - Brushed Light Gold

LISSE

27 803 845  
mm [inches]



## Flow rate chart



## Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



## LISSE Hand shower set with individual rosettes FlowReduce - Brushed Light Gold

---

LISSE

27 803 845

Certificates

---


LGA\_29

# LISSE Hand shower set with individual rosettes FlowReduce - Brushed Light Gold

LISSE

27 803 845

**Product version from 4/1/2024**



27 803 845-FF 00 10



## LISSE Hand shower set with individual rosettes FlowReduce - Brushed Light Gold

LISSE

27 803 845

### Spare parts list

#### Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	28 450 845-27	LISSE Wall elbow - Brushed Light Gold	5	30