

META Hand shower set FlowReduce - Light Gold



META

27 805 625 Product version from 6/30/2015 to 5/15/2020



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

| | | |
|---|--------------------------------|--------------------|
|  | Light Gold | 27 805 625-26 0010 |
|  | Chrome | 27 805 625-00 |
|  | Chrome | 27 805 625-00 0010 |
|  | Brushed Platinum | 27 805 625-06 |
|  | Brushed Platinum | 27 805 625-06 0010 |
|  | Dark Chrome | 27 805 625-19 |
|  | Dark Chrome | 27 805 625-19 0010 |
|  | Light Gold | 27 805 625-26 |
|  | Brushed Light Gold | 27 805 625-27 0010 |
|  | Brushed Light Gold | 27 805 625-27 |
|  | Brushed Durabronze (23kt Gold) | 27 805 625-28 |
|  | Brushed Durabronze (23kt Gold) | 27 805 625-28 0010 |
|  | Matte Black | 27 805 625-33 |
|  | Matte Black | 27 805 625-33 0010 |
| | Brushed gold (PVD) | 27 805 625-37 |
|  | Brushed Dark Brass | 27 805 625-39 0010 |
|  | Brushed Dark Brass | 27 805 625-39 |
|  | Brushed Bronze | 27 805 625-42 |
|  | Brushed Bronze | 27 805 625-42 0010 |
|  | Brushed Champagne (22kt Gold) | 27 805 625-46 |
|  | Brushed Champagne (22kt Gold) | 27 805 625-46 0010 |
|  | Champagne (22kt Gold) | 27 805 625-47 |
|  | Champagne (22kt Gold) | 27 805 625-47 0010 |
|  | Brushed Chrome | 27 805 625-93 |
|  | Brushed Chrome | 27 805 625-93 0010 |
|  | Brushed Dark Platinum | 27 805 625-99 |



META Hand shower set FlowReduce - Light Gold

META

27 805 625 Product version from 6/30/2015 to 5/15/2020



Brushed Dark
Platinum

27 805 625-99 0010

Recommended miscellaneous


Wall elbow - Light Gold

28 450 625-26



27 805 625 Product version from 6/30/2015 to 5/15/2020

mm [inches]



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen

Certificates and sustainability

LGA_29

27 805 625 Product version from 6/30/2015 to 5/15/2020

Parts for other
finishes can be found
here: [Chrome](#)

