













WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
FlowReduce - Brushed Durabrand (23kt Gold)

SERIES SPECIFIC

27 841 979
Product version from 6/1/2024

	<ul style="list-style-type: none"> • LAMINAR FLOW, max. flow rate 9 l/min (at 3 bar) • with volume control • rosette 60 x 60 mm • holder for Kneipp hose • 1/2" wall elbow • without hose • This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB 	<div>  Brushed Durabrand (23kt Gold) </div>	27 841 979-28
	<p>Intrinsic protection against back flow.</p>	<div>  Chrome </div>	27 841 979-00
		<div>  Brushed Platinum </div>	27 841 979-06
		<div>  Platinum </div>	27 841 979-08
		<div>  Dark Chrome </div>	27 841 979-19
		<div>  Brushed Light Gold </div>	27 841 979-27
		<div>  Matte Black </div>	27 841 979-33
		<div>  Brushed Champagne (22kt Gold) </div>	27 841 979-46
		<div>  Champagne (22kt Gold) </div>	27 841 979-47
		<div>  Brushed Chrome </div>	27 841 979-93
		<div>  Brushed Dark Platinum </div>	27 841 979-99


WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
FlowReduce - Brushed Durabron (23kt Gold)

SERIES SPECIFIC

27 841 979

Product version from 6/1/2024

mm [inches]



Flow rate chart



Codes & Standards

EN 1717



WATER TUBE Kneipp wall elbow with hose holder with individual rosettes FlowReduce - Brushed Durabronze (23kt Gold)

SERIES SPECIFIC

27 841 979 Product version from 6/1/2024

Certificates and sustainability


Belgaqua_24-007-2

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes FlowReduce - Brushed Durabross (23kt Gold)

SERIES SPECIFIC

27 841 979 Product version from 6/1/2024

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	11 09 14 10 119 90	seal	1.00	2
	14 09 27 97 022-28	rosette	1.00	20
	15 08 17 20 726 90	holder	1.00	2
	9 09 31 11 040 90	pin	1.00	2
	13 05 30 31 025 00 90	fixing set	1.00	2
	2 90 90 03 145 00 90	top	1.00	2
	16 09 31 11 148 90	pin	2.00	2
	12 90 14 10 049 00 90	seal	1.00	2
	8 09 24 03 151 90	nipple	1.00	2
	3 90 23 01 145 00 90	flow reducer	1.00	2
	5 90 23 01 045 00 90	back-flow preventer	1.00	2
	4 09 11 03 135-28	connection	1.00	60
	17 09 17 20 023-28	holder	1.00	20
	10 09 27 97 021-28	rosette	1.00	20
	1 09 20 97 021-28	handle	1.00	20
	6 90 31 11 112 00 90	pin	1.00	2
	7 09 14 10 081 90	seal	1.00	2