



LULU Wall elbow - Chrome

LULU

28 450 710



- 3/8" shower outlet
- rosette 78 x 55 mm
- 1/2" connection

Intrinsic protection against back flow.



Chrome

28 450 710-00



Brushed Platinum

28 450 710-06

Recommended miscellaneous



- Concealed wall elbow -**
- max. recess depth 163 mm
  - min. recess depth 90 mm


35 085 970 90

28 450 710

mm [inches]




### Flow rate chart



### Certificates

IAPMO\_4976 (5). Belgaqua\_21-381- WRAS\_2310091. WRAS\_1807022.  
27\_7.

28 450 710



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 16 01 014 90	ring	1	2
2	90 23 01 040 00 90	back-flow preventer	1	2
3	09 24 03 116 20 90	nipple	1	2
4	09 14 10 008 90	seal	1	2
5	09 14 10 142 90	seal	1	2
6	09 30 30 054 90	screw	1	2
7	09 31 11 026 90	pin	1	2
8	09 27 71 002-00	rosette	1	10
9	09 11 03 026 20-00	connection	1	60
10	09 31 11 005 90	pin	1	2
11	90 14 10 077 00 90	seal	1	2
12	09 24 03 107 20 90	nipple	1	2
13	90 21 02 069 00-00	cover	1	10