









MADISON Body spray without volume control FlowReduce - Brushed Durabrass (23kt Gold)


MADISON

28 518 360			
	<ul style="list-style-type: none"> • spray head Ø 55mm • ball-joint pivotable through 25° (in any direction) • rain flow • rosette Ø 55 mm • 1/2" connection • max. flow 5 l/min • This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB 	 Brushed Durabrass (23kt Gold)	28 518 360-28
		 Chrome	28 518 360-00
		 Brushed Platinum	28 518 360-06
		 Platinum	28 518 360-08
		 Durabrass (23kt Gold)	28 518 360-09
		 Brushed Dark Platinum	28 518 360-99


Recommended miscellaneous

	Concealed wall elbow -	35 085 970 90
	<ul style="list-style-type: none"> • max. recess depth 163 mm • min. recess depth 90 mm 	


28 518 360
mm [inches]



Flow rate chart



Trajectory diagram




Certificates

LGA_38651.

MADISON Body spray without volume control FlowReduce - Brushed Durabronz (23kt Gold)

MADISON

28 518 360



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 14 10 026 00 90	seal	1	2
2	09 27 35 003-28	rosette	1	60
3	09 23 30 027-28	nut	1	20
4	09 14 15 010 90	ring	1	2
5	09 16 01 014 90	ring	1	2
6	09 23 01 048 90	back-flow preventer	1	2
7	09 21 40 016-28	connection	1	20
8	09 14 10 015 90	seal	1	2
9	90 12 05 028 00-28	casing (completely)	1	20