

MADISON Rain shower with wall fixing 200 mm - Brushed Durabrand (23kt Gold)

MADISON

28 545 977	<ul style="list-style-type: none"> 435mm projection rain shower Ø 200 mm PURE RAIN, max. flow rate 14 l/min (at 3 bar) Function from: 8 l/min rosette Ø 55 mm 1/2" connection with anti-scale system 	<div> <div></div> <div>Brushed Durabrand (23kt Gold)</div> <div>28 545 977-28</div> </div> <div> <div></div> <div>Chrome</div> <div>28 545 977-00</div> </div> <div> <div></div> <div>brushed chrome</div> <div>28 545 977-93</div> </div> <div> <div></div> <div>Brushed Platinum</div> <div>28 545 977-06</div> </div> <div> <div></div> <div>Platinum</div> <div>28 545 977-08</div> </div> <div> <div></div> <div>Durabrand (23kt Gold)</div> <div>28 545 977-09</div> </div> <div> <div></div> <div>Brushed Dark Platinum</div> <div>28 545 977-99</div> </div>
------------	---	--


Recommended miscellaneous

<div> <div></div> <div> <div>Concealed wall elbow -</div> <ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm </div> </div>	35 085 970 90
---	---------------

MADISON Rain shower with wall fixing 200 mm - Brushed Durabron (23kt Gold)

MADISON

28 545 977
mm [inches]



Flow rate chart



Certificates

DVGW_DW- LGA_38654.
6517DN0118.

28 545 977



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 35 003-28	rosette	1	60
2	90 14 10 026 00 90	seal	1	2
3	09 11 03 017-28	connection	1	60
4	28 535 977-28	shower	1	60