

## TARA ULTRA Two-hole mixer with individual rosettes - Brushed Chrome

TARA ULTRA

32 815 875 Product version from 1/1/2025



- 241mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Operating unit can be positioned freely.

|   |                                |               |
|---|--------------------------------|---------------|
|    | Brushed Chrome                 | 32 815 875-93 |
|    | Chrome                         | 32 815 875-00 |
|    | Brushed Platinum               | 32 815 875-06 |
|    | Platinum                       | 32 815 875-08 |
|    | Durabronze (23kt Gold)         | 32 815 875-09 |
|    | Dark Chrome                    | 32 815 875-19 |
|    | Brushed Durabronze (23kt Gold) | 32 815 875-28 |
|    | Matte Black                    | 32 815 875-33 |
|    | Brushed Bronze                 | 32 815 875-42 |
|   | Brushed Champagne (22kt Gold)  | 32 815 875-46 |
|  | Champagne (22kt Gold)          | 32 815 875-47 |
|  | Brushed Dark Platinum          | 32 815 875-99 |

### Recommended miscellaneous

**Swivel limitation set -** 12 820 970 90



### Recommended miscellaneous

**Strainer waste with control handle - Brushed Chrome** 10 710 970-93



### Recommended miscellaneous

**Dispenser with rosette - Brushed Chrome** 82 444 970-93



32 815 875 Product version from 1/1/2025

mm [inches]  
1:5



**Flow rate chart**



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## TARA ULTRA Two-hole mixer with individual rosettes - Brushed Chrome

TARA ULTRA

32 815 875 Product version from 1/1/2025

Certificates and sustainability

LGA\_38

WRAS\_240102



## Spare parts list

| No. | Item Number        | Name                    | Quantity used | Delivery time |
|-----|--------------------|-------------------------|---------------|---------------|
| 6   | 90 20 87 003 00-93 | handle                  | 1.00          | 20            |
| 14  | 04 30 11 085 97 90 | fixing set              | 1.00          | 2             |
| 7   | 09 28 30 026-93    | cover                   | 1.00          | 60            |
| 3   | 90 30 01 299 00 90 | shaft                   | 1.00          | 2             |
| 9   | 09 24 04 266 90    | nut                     | 1.00          | 2             |
| 12  | 09 27 97 040-93    | rosette                 | 1.00          | 60            |
| 11  | 09 14 10 110 90    | seal                    | 1.00          | 2             |
| 13  | 09 31 11 011 90    | pin                     | 1.00          | 2             |
| 17  | 90 24 03 250 00 90 | nipple                  | 1.00          | 2             |
| 8   | 09 14 10 091 90    | seal                    | 1.00          | 2             |
| 5   | 04 30 04 100 00 90 | hose                    | 1.00          | 2             |
| 1   | 90 28 22 377 00-93 | spout                   | 1.00          | 20            |
| 15  | 04 30 04 104 00 90 | hose                    | 1.00          | 2             |
| 10  | 90 15 05 042 00 90 | cartridge               | 1.00          | 2             |
| 2   | 12 820 970 90      | Swivel limitation set - | 1.00          | 2             |
| 16  | 04 30 04 105 00 90 | hose                    | 2.00          | 2             |
| 4   | 04 23 10 044 08 90 | fixing set              | 1.00          | 2             |