





- 190mm projection
- circular normal flow
- automatic bath/shower diverter
- 1/2" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 22 l/min at 3 bar flow pressure
- WRAS

Recommended miscellaneous

Concealed wall elbow -		35 085 970 90
		

33 200 831 Product version from 1/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1717	EN 817	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	XP P 41-280




DORNBRACHT YAMOU Single-lever bath mixer for wall mounting - Chrome

DORNBRACHT
YAMOU

33 200 831 Product version from 1/1/2023

Certificates and sustainability

ACS_23 ACC NY	AbP_10	Belgaqua_24-003-2	WRAS_240104	DVGW_DW-6506DO0
---------------	--------	-------------------	-------------	-----------------



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	90 23 01 185 00-00	aerator	1.00	2
6	90 24 04 460 00 90	diverter	1.00	2
7	90 20 83 073 00-00	handle	1.00	2
1	90 20 83 071 00-00	handle	1.00	2
2	90 21 02 401 00-00	cover	1.00	2
5	90 24 03 320 00-00	nipple	1.00	2
3	90 15 05 071 01 90	cartridge	1.00	2
9	90 11 04 044 00 90	connection	2.00	-
Spare part can no longer be ordered, please order the replacement item				
8	90 27 83 037 00-00	rosette	2.00	2