

## IMO Single-lever basin mixer with pop-up waste - Chrome








IMO

33 500 671 Product version from 4/1/2024



- 125mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 71 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

	Chrome	33 500 671-00
	Brushed Platinum	33 500 671-06
	Dark Chrome	33 500 671-19
	Brushed Light Gold	33 500 671-27
	Matte Black	33 500 671-33
	Brushed Chrome	33 500 671-93
	Brushed Dark Platinum	33 500 671-99

33 500 671 Product version from 4/1/2024

mm [inches]



### Flow rate chart



## Codes & Standards

DIN 4109

ISO 3822

## Scottish Water Byelaws

UK Water Supply Regulations

## Ü-Zeichen



## IMO Single-lever basin mixer with pop-up waste - Chrome

---

IMO


33 500 671 Product version from 4/1/2024

### Certificates and sustainability

---

LGA\_19

WRAS\_250102



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
15	90 28 22 440 00-00	spout	1.00	10
9	09 31 09 080-00	pull-rod	1.00	10
8	04 23 10 044 07 90	fixing set	1.00	2
7	09 20 67 002-00	handle	1.00	10
11	90 11 01 001 00-00	pop-up waste	1.00	10
4	90 23 10 146 00 90	nut	1.00	2
2	90 28 30 059 00-00	cover	1.00	10
1	90 20 67 019 00-00	handle	1.00	10
10	04 30 04 104 00 90	hose	2.00	2
14	09 30 30 166 90	screw	2.00	2
16	09 14 10 017 90	seal	1.00	2
13	90 29 03 134 00 90	aerator	1.00	2
6	90 15 05 042 00 90	cartridge	1.00	2
5	09 14 10 112 90	seal	1.00	2
3	09 14 10 102 90	seal	1.00	2
12	09 31 11 006 90	pin	1.00	2