

TARA ULTRA Single-lever mixer - Brushed Chrome

TARA ULTRA

33 800 875 Product version from 6/1/2022



- 201mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 373 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

	Brushed Chrome	33 800 875-93
	Chrome	33 800 875-00
	Brushed Platinum	33 800 875-06
	Platinum	33 800 875-08
	Durabronze (23kt Gold)	33 800 875-09
	Dark Chrome	33 800 875-19
	Brushed Durabronze (23kt Gold)	33 800 875-28
	Matte Black	33 800 875-33
	Brushed Bronze	33 800 875-42
	Brushed Champagne (22kt Gold)	33 800 875-46
	Champagne (22kt Gold)	33 800 875-47
	Brushed Dark Platinum	33 800 875-99

Recommended miscellaneous

**Dispenser without rosette -
Brushed Chrome**

82 424 970-93



Recommended miscellaneous

**Strainer waste with control handle -
Brushed Chrome**

10 712 970-93



The graph shows the relationship between bar length and luminosity. The x-axis, labeled 'bar', ranges from 0 to 6. The y-axis, labeled 'Lumin', ranges from 0 to 10. The curve starts at the origin (0,0) and increases rapidly, reaching a luminosity of about 7.5 at a bar length of 1. From bar=1 to bar=6, the luminosity increases very slowly, reaching approximately 8.1 at bar=6.

bar	Lumin
0	0.0
0.5	4.5
1.0	7.5
1.5	7.8
2.0	7.9
3.0	8.0
4.0	8.0
5.0	8.05
6.0	8.1

DIN 4109	Executive Order no. 1007	ISO 3822	Ü-Zeichen
----------	-----------------------------	----------	-----------



TARA ULTRA Single-lever mixer - Brushed Chrome

TARA ULTRA

33 800 875 Product version from 6/1/2022

Certificates and sustainability

GDV_0400

LGA_18

33 800 875 Product version from 6/1/2022

Parts for other
finishes can be found
here: [Chrome](#)

