












TARA ULTRA BAR TAP Single-lever mixer - Brushed Chrome

TARA ULTRA

33 805 875



- 166mm projection
- pivotable spout 360°
- laminar flow
- height of mixer 303 mm
- height up to laminar flow regulator 186 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Chrome	33 805 875-93
	Chrome	33 805 875-00
	Brushed Platinum	33 805 875-06
	Platinum	33 805 875-08
	Durabrass (23kt Gold)	33 805 875-09
	Dark Chrome	33 805 875-19
	Brushed Durabrass (23kt Gold)	33 805 875-28
	Matte Black	33 805 875-33
	Brushed Champagne (22kt Gold)	33 805 875-46
	Champagne (22kt Gold)	33 805 875-47
	Brushed Dark Platinum	33 805 875-99

Recommended miscellaneous

**Dispenser without rosette -
Brushed Chrome**

82 424 970-93



Recommended miscellaneous

**Strainer waste with control handle
- Brushed Chrome**

10 712 970-93



The graph shows the relationship between bar pressure and luminance. The x-axis is labeled 'bar' and ranges from 0 to 6. The y-axis is labeled 'Lumin' and ranges from 0 to 10. The curve starts at (0,0), rises steeply to approximately (1, 7.5), and then gradually levels off, reaching a plateau of about 8 Lumin units for pressures above 2 bars.

Certificates

LGA_18899.

33 805 875

Parts for other
finishes can be found
here: [Chrome](#)

