

## SYNC Profi single-lever mixer - Brushed Dark Platinum

SYNC

33 865 895 Product version from 2/4/2019



- 200mm projection
- Flexible silicone hose with large operating range of up to 350 mm
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- air-enriched flow and spray flow
- height of mixer 451 mm
- height up to aerator 119 mm
- hole diameter 35 mm
- sprayface with anti-scaling system
- max. flow 9.5 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

|  |                                |               |
|--|--------------------------------|---------------|
|  | Brushed Dark Platinum          | 33 865 895-99 |
|  | Chrome                         | 33 865 895-00 |
|  | Brushed Platinum               | 33 865 895-06 |
|  | Platinum                       | 33 865 895-08 |
|  | Durabronze (23kt Gold)         | 33 865 895-09 |
|  | Dark Chrome                    | 33 865 895-19 |
|  | Brushed Durabronze (23kt Gold) | 33 865 895-28 |
|  | Matte Black                    | 33 865 895-33 |
|  | Brushed Bronze                 | 33 865 895-42 |
|  | Brushed Champagne (22kt Gold)  | 33 865 895-46 |
|  | Champagne (22kt Gold)          | 33 865 895-47 |
|  | Brushed Chrome                 | 33 865 895-93 |

### Recommended miscellaneous

**Swivel limitation set -** 12 821 970 90



### Recommended miscellaneous

**Strainer waste with control handle - Brushed Dark Platinum** 10 712 970-99



### Recommended miscellaneous

**Dispenser without rosette - Brushed Dark Platinum** 82 424 970-99





### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



## SYNC Profi single-lever mixer - Brushed Dark Platinum

---

SYNC

33 865 895 Product version from 2/4/2019

### Certificates and sustainability

---

Belgaqua\_21-027-2 LGA\_29



## Spare parts list

| No. | Item Number           | Name       | Quantity used | Delivery time |
|-----|-----------------------|------------|---------------|---------------|
|     | 13 04 30 11 040 00 90 | fixing set | 1.00          | 2             |
|     | 14 04 30 04 101 00 90 | hose       | 2.00          | 2             |
|     | 6 90 28 10 161 00 90  | set        | 1.00          | 2             |
|     | 5 04 12 11 150 00 90  | shower     | 1.00          | 2             |
|     | 2 09 31 11 040 90     | pin        | 1.00          | 2             |
|     | 10 09 20 89 020-99    | handle     | 1.00          | 20            |
|     | 9 09 28 30 030-99     | cover      | 1.00          | 20            |
|     | 4 90 17 20 045 00-99  | holder     | 1.00          | 20            |
|     | 12 90 31 20 087 00-99 | plug       | 1.00          | 20            |
|     | 8 09 14 10 190 90     | seal       | 1.00          | 2             |
|     | 1 90 30 02 100 00-99  | hose       | 1.00          | 20            |
|     | 3 09 31 11 209 90     | pin        | 1.00          | 2             |
|     | 11 90 31 11 063 00 90 | pin        | 1.00          | 2             |
|     | 7 90 15 05 064 05 90  | cartridge  | 1.00          | 2             |