



Showerpipe with shower thermostat - Soft Black

SERIES SPECIFIC

34 459 832
 Product version from 1/1/2023



- rain shower Ø 250 mm
- shower with fixed riser projection 330mm
- overhead shower: rain flow
- rain shower with anti-scale system
- max. rainshower flow 8.6 l/min
- Plastic hose, 1750 mm, with integrated anti-twist protection
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1058mm
- height of fittings up to top edge of elbow 1058mm
- gauge 150 mm - 15 mm
- 1/2" connection
- slide bar


	Soft Black	34 459 832-69
	Chrome	34 459 832-00

## Showerpipe with shower thermostat - Soft Black


SERIES SPECIFIC

34 459 832 Product version from 1/1/2023

mm [inches]  
1:10



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



## Showerpipe with shower thermostat - Soft Black

SERIES SPECIFIC

34 459 832 Product version from 1/1/2023

Certificates and sustainability


LGA\_38

## Showerpipe with shower thermostat - Soft Black

SERIES SPECIFIC

34 459 832 Product version from 1/1/2023

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	90 30 12 520 00-69	slider	1.00	2
2	90 12 11 183 00-69	shower	1.00	2
1	90 12 05 024 00-69	shower	1.00	2
5	04 17 01 250 00-69	connection	1.00	-
Spare part can no longer be ordered, please order the replacement item				
3	90 30 03 008 00-69	hose	1.00	2
6	90 27 83 022 00-69	rosette	1.00	2