


Concealed wall-mounted mixer spout on right -

35 714 970 90



- red brass, lead-free
- 2x female thread 1/2" connections
- 3x female thread 1/2" outlet
- 3x sealing plug 1/2"
- 3x dust cover
- soundproofing
- gauge 100 mm

Recommended miscellaneous

Leak protection 1/2" -


12 010 970 90



Concealed wall-mounted mixer spout on right -


35 714 970 90

mm [inches]



	min	max
Supernova	65 [2 1/2"]	130 [5 1/8"]
Deque	65 [2 1/2"]	130 [5 1/8"]
Tara	65 [2 1/2"]	130 [5 1/8"]
Vaia	64 [2 1/2"]	136 [5 3/8"]
CL 2	97 [3 7/8"]	120 [4 3/4"]

Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen

XP P 41-280



Concealed wall-mounted mixer spout on right -


35 714 970 90

Certificates

LGA_19 ACS_21 ACC LY

Concealed wall-mounted mixer spout on right -

35 714 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 11 11 043 90	accessories	1	2
2	09 14 10 042 90	seal	3	2
3	09 24 03 210 10 90	nipple	1	2
4	09 14 10 003 90	seal	3	2
5	04 31 20 006 00 90	plug	2	2
6	09 21 02 102 90	cap	3	2
7	09 24 03 211 10 90	nipple	1	2
8	04 31 20 037 00 90	plug	1	2
9	09 24 03 209 10 90	nipple	1	2
10	04 30 31 024 01 90	fixing set	1	2