

Concealed wall-mounted single-lever mixer -

35 860 970 90

Product version from 5/1/2022



- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet for wall spout
- 1x female thread 1/2" outlet
- 2x dust cover
- anti-water packing
- soundproofing
- gauge 100 mm
- WRAS

Recommended miscellaneous



**Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above -**

39 807 970 90

- Overflow is part of the scope of delivery.

Recommended miscellaneous



**Extension 20 mm -**

12 870 970 90

- Can only be combined with exposed trim parts 36 86X 664-FF.

Recommended miscellaneous



**Extension 20 mm -**

12 869 970 90

- Not suitable for combining with META PURE (36 86X 664-FF).

Recommended miscellaneous




**Adapter for reversed water connections -**

12 880 970 90


- Not suitable for combining with META PURE (36 86X 664-FF).

### Concealed wall-mounted single-lever mixer -

35 860 970 90 Product version from 5/1/2022



### Flow rate chart



## Codes & Standards

EN 817

## Scottish Water Byelaws

## UK Water Supply Regulations

XP P 41-280



Concealed wall-mounted single-lever mixer -

---

35 860 970 90    Product version from 5/1/2022


Certificates

---

WRAS_2010	ACS_21 ACC LY	DVGW_DW- 6512DN0	WRAS_2107
-----------	---------------	---------------------	-----------

## Concealed wall-mounted single-lever mixer -

35 860 970 90 Product version from 5/1/2022



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 31 20 006 00 90	plug	1	2
2	09 21 02 173 90	cap	1	2
3	90 30 11 086 00 90	fixing set	3	60
4	90 31 20 107 00 90	plug	1	2
5	90 17 01 238 00 90	sleeve	1	2
6	90 24 04 349 00 90	threaded connector	1	2
7	09 21 02 182 90	cap	1	2
8	90 23 01 174 00 90	sleeve	2	2
9	04 14 03 074 01 90	gasket kit	1	2