



Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Platinum

36 045 970 Product version from 5/15/2020



- cover plate 80 x 80 mm
- Intrinsic protection against back flow.**
- Article cannot be extended, please check the depth of the installation location!**
- Intrinsic protection against back flow.
- Article cannot be extended, please check the depth of the installation location!


Required miscellaneous



- Concealed wall mounting -** 35 003 970 90
- max. recess depth mm
 - min. recess depth mm

Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Platinum

36 045 970 Product version from 5/15/2020
mm [inches]



Codes & Standards


DIN 4109	EN 1717	ISO 3822	Ü-Zeichen
----------	---------	----------	-----------

Certificates

Belgaqua_21-025-2 LGA_29

Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Platinum

36 045 970 Product version from 5/15/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 21 02 128 90	sleeve	1	2
2	09 24 77 002 90	nut	1	2
3	90 31 11 030 00 90	pin	3	2
4	09 14 10 139 90	seal	1	2
5	09 14 10 111 90	seal	1	2
6	09 18 40 215-06	sleeve	1	10
7	09 14 10 518 90	seal	1	60
8	09 27 97 042-06	rosette	1	10
9	90 15 05 044 00 90	cartridge	1	2
10	09 24 04 266 90	nut	1	2
11	09 14 10 120 90	seal	1	2
12	09 28 30 041-06	cover	1	10
13	09 20 97 063-06	handle	1	10
14	90 31 11 063 00 90	pin	1	2
15	90 31 20 109 00 90	plug	1	2
16	09 23 01 131 90	back-flow preventer	1	2
17	09 14 10 213 90	seal	1	2
18	09 24 03 281-06	nipple	1	10
19	90 21 02 069 00-06	cover	1	10