

Concealed single-lever mixer with integrated shower connection - Platinum

SERIES-VARIOUS

36 050 970


Product version from 10/1/2023



- without rosette
  - WRAS
- Intrinsic protection against back flow.**
- Intrinsic protection against back flow.

	Platinum	36 050 970-08
	Chrome	36 050 970-00
	Brushed Platinum	36 050 970-06
Dark Brass matt		36 050 970-16
	Dark Chrome	36 050 970-19
	Light Gold	36 050 970-26
	Brushed Light Gold	36 050 970-27
	Brushed Durabrass (23kt Gold)	36 050 970-28
	Matte Black	36 050 970-33
	Brushed Bronze	36 050 970-42
	Brushed Champagne (22kt Gold)	36 050 970-46
	Champagne (22kt Gold)	36 050 970-47
	Brushed Chrome	36 050 970-93
	Brushed Dark Platinum	36 050 970-99

Required miscellaneous


	<b>Concealed wall mounting -</b>	35 050 970 90
	<ul style="list-style-type: none"> <li>•max. recess depth 105 mm</li> <li>•min. recess depth 80 mm</li> </ul>	

36 050 970 Product version from 10/1/2023

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109	EN 1717	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



## Concealed single-lever mixer with integrated shower connection - Platinum

SERIES-VARIOUS

36 050 970 Product version from 10/1/2023

### Certificates and sustainability

Belgaqua\_21-025-2 WRAS\_2011

LGA\_29



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	09 31 11 004 90	pin	1.00	60
13	09 14 10 061 90	seal	1.00	2
12	09 18 40 230 90	connection	1.00	2
5	09 23 01 131 90	back-flow preventer	1.00	2
6	09 14 10 213 90	seal	1.00	2
10	28 322 970-08	Metal shower hose 1/2" x 3/8" x 1750 mm - Platinum	1.00	40
7	09 24 03 281-08	nipple	1.00	40
2	09 24 04 266 90	nut	1.00	2
1	90 20 97 064 00-08	handle	1.00	40
9	90 14 20 026 00 90	seal	1.00	2
8	90 21 02 069 00-08	cover	1.00	40
11	90 14 10 060 00 90	seal	1.00	2
3	90 15 05 044 04 90	cartridge	1.00	2