

## Concealed thermostat with three function volume control - Brushed Light Gold SERIES SPECIFIC

36 427 970 Product version from 6/30/2022



- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

|   |                                |               |
|---|--------------------------------|---------------|
|    | Brushed Light Gold             | 36 427 970-27 |
|    | Chrome                         | 36 427 970-00 |
|    | Brushed Platinum               | 36 427 970-06 |
|    | Platinum                       | 36 427 970-08 |
|    | Dark Chrome                    | 36 427 970-19 |
|    | Light Gold                     | 36 427 970-26 |
|    | Brushed Durabronze (23kt Gold) | 36 427 970-28 |
|    | Matte Black                    | 36 427 970-33 |
|    | Brushed Bronze                 | 36 427 970-42 |
|   | Brushed Champagne (22kt Gold)  | 36 427 970-46 |
|  | Champagne (22kt Gold)          | 36 427 970-47 |
|  | Brushed Chrome                 | 36 427 970-93 |
|  | Brushed Dark Platinum          | 36 427 970-99 |

### Required miscellaneous



**Concealed thermostat -** 35 427 970 90  
 • min. recess depth 80 mm  
 • max. recess depth 136 mm

### Recommended miscellaneous



**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

### Required miscellaneous




**Concealed thermostat with built-in isolators -** 35 428 970 90  
 • min. recess depth 80 mm  
 • max. recess depth 136 mm


### Required miscellaneous



**xGRID Installation track 555 mm -** 12 360 970 90



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



Concealed thermostat with three function volume control - Brushed Light Gold    SERIES SPECIFIC

---

36 427 970    Product version from 6/30/2022

Certificates and sustainability

---

|        |                     |             |
|--------|---------------------|-------------|
| LGA_29 | DVGW_DW-<br>6512DN0 | WRAS_250402 |
|--------|---------------------|-------------|

## Concealed thermostat with three function volume control - Brushed Light Gold SERIES SPECIFIC

36 427 970 Product version from 6/30/2022

