


**xTOOL Concealed thermostat without volume control 3/4" - Brushed Chrome** **SERIES SPECIFIC**

36 503 780 Product version up to 1/1/2022




- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS


	Brushed Chrome	36 503 780-93
	Chrome	36 503 780-00
	Brushed Platinum	36 503 780-06
	Platinum	36 503 780-08
	Dark Chrome	36 503 780-19
	Brushed Light Gold	36 503 780-27
	Brushed Durabronze (23kt Gold)	36 503 780-28
	Matte Black	36 503 780-33
	Brushed Dark Bronze	36 503 780-39
	Brushed Champagne (22kt Gold)	36 503 780-46
	Champagne (22kt Gold)	36 503 780-47
	Brushed Dark Platinum	36 503 780-99

36 503 780    Product version up to 1/1/2022

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



xTOOL Concealed thermostat without volume control 3/4" - Brushed Chrome

SERIES SPECIFIC

36 503 780    Product version up to 1/1/2022


Certificates and sustainability

WRAS_2011	DVGW_DW-6512DN0	LGA_29	LGA_29
-----------	-----------------	--------	--------

**xTOOL Concealed thermostat without volume control 3/4" - Brushed Chrome** **SERIES SPECIFIC**

36 503 780 Product version up to 1/1/2022

Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	7 90 16 02 027 00 90	spring	1.00	2
	2 09 11 02 196-93	cover	1.00	60
	5 90 17 33 004 00-93	handle	1.00	60
	10 12 178 970 90	Extension 46 mm -	1.00	2
	3 90 14 10 049 00 90	seal	1.00	2
	4 90 21 02 112 00-93	sleeve	1.00	20
	8 90 30 30 136 00 90	screw	1.00	2
	9 90 31 20 049 00-13	plug	1.00	30
	6 90 21 33 011 00-13	handle	1.00	2
	1 90 15 02 063 00 90	cartridge	1.00	2