

## VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

VAIA

36 503 809



- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

	Brushed Platinum	36 503 809-06
	Chrome	36 503 809-00
	Platinum	36 503 809-08
	Dark Chrome	36 503 809-19
	Brushed Durabronz (23kt Gold)	36 503 809-28
	Brushed Bronze	36 503 809-42
	Brushed Champagne (22kt Gold)	36 503 809-46
	Champagne (22kt Gold)	36 503 809-47
	Brushed Dark Platinum	36 503 809-99

### Required miscellaneous



**xTOOL Concealed thermostat module without volume control -** 35 503 970 90

- max. recess depth 110 mm
- min. recess depth 85 mm

### Recommended miscellaneous



**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

### Required miscellaneous




**xGRID Installation track 555 mm -** 12 360 970 90


## VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

VAIA

36 503 809  
mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

VAIA


36 503 809  
Certificates

LGA_29	LGA_29	LGA_29	WRAS_2011
--------	--------	--------	-----------

**VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed  
Platinum**

VAIA

36 503 809





VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

VAIA

36 503 809

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 15 02 063 00 90	cartridge	8	2