

## VAIA xTOOL Concealed thermostat without volume control 3/4" - Dark Chrome

VAIA

36 503 809



- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

|  |                                |               |
|--|--------------------------------|---------------|
|  | Dark Chrome                    | 36 503 809-19 |
|  | Chrome                         | 36 503 809-00 |
|  | Brushed Platinum               | 36 503 809-06 |
|  | Platinum                       | 36 503 809-08 |
|  | Brushed Durabronze (23kt Gold) | 36 503 809-28 |
|  | Brushed Bronze                 | 36 503 809-42 |
|  | Brushed Champagne (22kt Gold)  | 36 503 809-46 |
|  | Champagne (22kt Gold)          | 36 503 809-47 |
|  | Brushed Dark Platinum          | 36 503 809-99 |

### Required miscellaneous



**xTOOL Concealed thermostat module without volume control -** 35 503 970 90

- max. recess depth 110 mm
- min. recess depth 85 mm

### Recommended miscellaneous



**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90


### Required miscellaneous




**xGRID Installation track 555 mm -** 12 360 970 90

36 503 809

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



VAIA xTOOL Concealed thermostat without volume control 3/4" - Dark Chrome

VAIA

36 503 809


Certificates

LGA\_29

LGA\_29

LGA\_29

WRAS\_2011





## Spare parts list