

VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabronze (23kt Gold)

VAIA

36 503 809



- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

	Brushed Durabronze (23kt Gold)	36 503 809-28
	Chrome	36 503 809-00
	Brushed Platinum	36 503 809-06
	Platinum	36 503 809-08
	Dark Chrome	36 503 809-19
	Brushed Bronze	36 503 809-42
	Brushed Champagne (22kt Gold)	36 503 809-46
	Champagne (22kt Gold)	36 503 809-47
	Brushed Dark Platinum	36 503 809-99

Required miscellaneous



xTOOL Concealed thermostat module without volume control - 35 503 970 90
 • max. recess depth 110 mm
 • min. recess depth 85 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90

VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabron (23kt Gold)

VAIA

36 503 809
mm [inches]



Flow rate chart



Certificates

WRAS_2011026. LGA_29931. LGA_29930. LGA_29932.

**VAIA xTOOL Concealed thermostat without volume control 3/4" - Brushed
Durabronz (23kt Gold)**

VAIA

36 503 809

