

## VAIA xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

VAIA

36 503 809



- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

	Champagne (22kt Gold)	36 503 809-47
	Chrome	36 503 809-00
	Brushed Platinum	36 503 809-06
	Platinum	36 503 809-08
	Dark Chrome	36 503 809-19
	Brushed Durabronze (23kt Gold)	36 503 809-28
	Brushed Bronze	36 503 809-42
	Brushed Champagne (22kt Gold)	36 503 809-46
	Brushed Dark Platinum	36 503 809-99

### Required miscellaneous



**xTOOL Concealed thermostat module without volume control -** 35 503 970 90  
 • max. recess depth 110 mm  
 • min. recess depth 85 mm

### Recommended miscellaneous



**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

### Required miscellaneous




**xGRID Installation track 555 mm -** 12 360 970 90


## VAIA xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

VAIA

36 503 809  
mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



VAIA xTOOL Concealed thermostat without volume control 3/4" - Champagne  
(22kt Gold)

VAIA


36 503 809  
Certificates

LGA_29	LGA_29	LGA_29	WRAS_2011
--------	--------	--------	-----------

**VAIA xTOOL Concealed thermostat without volume control 3/4" - Champagne  
(22kt Gold)**

VAIA

36 503 809





## VAIA xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

---

VAIA

36 503 809

### **Spare parts list**