

**Towel warmer , 6-fold , projection left , without control element - Dark Chrome** SERIES SPECIFIC

83 306 980



- gauge 120 mm
  - width 600mm
  - height 660 mm
  - rosette 60 x 60 mm
  - 63mm projection
  - Degree of protection IP 44, CE marking
  - Output per towel bar: 15 watts
  - Rated voltage: 220 - 240 V AC
- Without control element**
- Activation must be handled by the customer**
- Note: Different conditioning.**
- This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).**

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

|  |                               |               |
|--|-------------------------------|---------------|
|  | Dark Chrome                   | 83 306 980-19 |
|  | Chrome                        | 83 306 980-00 |
|  | Matte Black                   | 83 306 980-33 |
|  | Brushed Champagne (22kt Gold) | 83 306 980-46 |
|  | Brushed Chrome                | 83 306 980-93 |
|  | Brushed Dark Platinum         | 83 306 980-99 |

**Required miscellaneous**



- Concealed wall installation box for 35 313 970 90 towel warmer , 6-fold , without control element -**
- min. recess depth 70 mm
  - max. recess depth 105 mm

**Towel warmer , 6-fold , projection left , without control element - Dark Chrome** **SERIES SPECIFIC**

83 306 980



