

CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705



- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Chrome	ST 010 102 4705-00
	Brushed Platinum	ST 010 102 4705-06
	Dark Chrome	ST 010 102 4705-19
	Brushed Champagne (22kt Gold)	ST 010 102 4705-46
	Champagne (22kt Gold)	ST 010 102 4705-47
	Brushed Dark Platinum	ST 010 102 4705-99

Individual components of this set

You need the following components for this set

1x 13 715 705-00



1x 20 004 705-00



1x 20 004 706-00









# CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705



- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 1512011


	Chrome	13 715 705-0
	Brushed Platinum	13 715 705-0
	Dark Chrome	13 715 705-1
	Brushed Champagne (22kt Gold)	13 715 705-4
	Champagne (22kt Gold)	13 715 705-4
	Brushed Dark Platinum	13 715 705-9

ST 010 102 4705


0  
—  
6  
—  
9  
—  
6  
—  
7  
—  
9  
—

ST 010 102 4705

mm [inches]



### Flow rate chart



## Certificates

LGA\_28

GDV\_0400

IAPMO\_N-4


IAPMO\_8834

IAPMO\_6

IAPMO\_4976

WRAS\_1512

Codes & Standards


ASME A112.18.1	cUPC	DIN 4109	EPA WaterSense
Executive Order no. 1007	ISO 3822	NSF372	NSF61
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	WaterSense 



ST 010 102 4705

Product version from 3/9/2015 to 6/15/2021

**Product version from 7/1/2021**





CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705

Spare parts list

Product version from 3/9/2015 to 6/15/2021

**Product version from 7/1/2021**

No.	Item Number	Name	Quantity used	Delivery time
	90 11 70 003 00-00	spout	12	10









CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705



- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

	Chrome	20 004 705-0
	Brushed Platinum	20 004 705-0
	Dark Chrome	20 004 705-1
	Brushed Champagne (22kt Gold)	20 004 705-4
	Champagne (22kt Gold)	20 004 705-4
	Brushed Dark Platinum	20 004 705-9



CL.1 Three-hole basin mixer without pop-up waste - Chrome


CL.1

ST 010 102 4705


0  
—  
6  
—  
9  
—  
6  
—  
7  
—  
9  
—

ST 010 102 4705

mm [inches]



**Flow rate chart**



**Certificates**

WRAS\_240202      IAPMO\_4976      IAPMO\_N-4      WRAS\_1804      LGA\_28


IAPMO\_6

Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
NSF372	NSF61	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			



**Product version from 3/9/2015**



ST 010 102 4705

**Spare parts list**

**Product version from 3/9/2015**

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 051 06-00	handle ( cold )	8	10







CL.1 Three-hole basin mixer without pop-up waste - Chrome

CL.1

ST 010 102 4705

- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking



	Chrome	20 004 706-0
	Brushed Platinum	20 004 706-0
	Dark Chrome	20 004 706-1
	Brushed Champagne (22kt Gold)	20 004 706-4
	Champagne (22kt Gold)	20 004 706-4
	Brushed Dark Platinum	20 004 706-9




ST 010 102 4705


0  
—  
6  
—  
9  
—  
6  
—  
7  
—  
9  
—

ST 010 102 4705

mm [inches]



### Flow rate chart



### Certificates

WRAS\_240202      IAPMO\_4976      IAPMO\_N-4      WRAS\_1804      LGA\_28

IAPMO\_6


Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
NSF372	NSF61	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			



**Product version from 3/9/2015**

Parts for other  
finishes can be found  
here: Brushed  
Platinum



ST 010 102 4705

**Spare parts list**

**Product version from 3/9/2015**

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 051 07-00	handle ( hot )	8	10