







MADISON Shower set - Brushed Durabrass (23kt Gold)

MADISON

ST 050 200 1360



- slide bar
- Pipe diameter 18 mm
- rosette Ø 60 mm
- gauge 850 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 1/2"
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- spray head Ø 64mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Durabrass (23kt Gold)	ST 050 200 1360-28
	Chrome	ST 050 200 1360-00
	Brushed Platinum	ST 050 200 1360-06
	Platinum	ST 050 200 1360-08
	Durabrass (23kt Gold)	ST 050 200 1360-09
	Brushed Dark Platinum	ST 050 200 1360-99

Individual components of this set

You need the following components for this set



1x 28 002 970-28



1x 26 413 360-28

# MADISON Shower set - Brushed Durabrand (23kt Gold)

MADISON

ST 050 200 1360



- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 6 l/min
- spray head Ø 64mm
- 1/2" connection
- WRAS 240502026, 1809019

Intrinsic protection against back flow.

	Brushed Durabrand (23kt Gold)	28 002 970-2
	Chrome	28 002 970-0
	Chrome	28 002 970-00 001
	Gold (23.9kt)	28 002 970-0
	Brushed Platinum	28 002 970-0
	Brushed Platinum	28 002 970-06 001
	Platinum	28 002 970-0
	Platinum	28 002 970-08 001
	Durabrand (23kt Gold)	28 002 970-0
	Durabrand (23kt Gold)	28 002 970-09 001
	Brushed Durabrand (23kt Gold)	28 002 970-28 001
	Brushed Chrome	28 002 970-9
	Brushed Chrome	28 002 970-93 001
	Brushed Dark Platinum	28 002 970-9
	Brushed Dark Platinum	28 002 970-99 001



MADISON Shower set - Brushed Durabrass (23kt Gold)


MADISON

ST 050 200 1360

8  
—  
10  
—  
0  
—  
1  
—  
16  
—  
0  
—  
8  
—  
0  
—  
19  
—  
0  
—  
0  
—  
13  
—  
0  
—  
19  
—  
0  
—

ST 050 200 1360

mm [inches]



Flow rate chart



Certificates

LGA\_8                      WRAS\_240502



MADISON Shower set - Brushed Durabrass (23kt Gold)

MADISON

ST 050 200 1360

Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

Ü-Zeichen



## MADISON Shower set - Brushed Durabrass (23kt Gold)

MADISON

ST 050 200 1360

Parts for other  
finishes can be found  
here: [Chrome](#)





MADISON Shower set - Brushed Durabrass (23kt Gold)

MADISON

ST 050 200 1360

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 12 01 010 00 90	set	8	2



MADISON Shower set - Brushed Durabrass (23kt Gold)







MADISON

ST 050 200 1360



- slide bar
- Pipe diameter 18 mm
- rosette Ø 60 mm
- gauge 850 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 1/2"
- WRAS 2009048


This article does not include a hand shower!

	Brushed Durabrass (23kt Gold)	26 413 360-2
	Chrome	26 413 360-0
	Brushed Platinum	26 413 360-0
	Platinum	26 413 360-0
	Durabrass (23kt Gold)	26 413 360-0
	Brushed Dark Platinum	26 413 360-9

ST 050 200 1360

:8  
—  
:10  
—  
:16  
—  
:18  
—  
:19  
—  
:19  
—

Recommended miscellaneous

	<b>Concealed wall elbow -</b> •max. recess depth 163 mm •min. recess depth 90 mm	35 085 970 90
---	--	---------------

Required miscellaneous

	<b>MADISON Metal hand shower with porcelain insert (white) FlowReduce - Brushed Durabrand (23kt Gold)</b>	28 002 970-28 0010
---	---	--------------------

Required miscellaneous

	<b>MADISON Hand shower FlowReduce - Brushed Durabrand (23kt Gold)</b> •spray head Ø 95mm •Hand shower see page {PAGE} •Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate l/min (at 3 bar)	28 002 978-28 0010
---	---	--------------------


Recommended miscellaneous

	<b>MADISON Wall elbow - Brushed Durabrand (23kt Gold)</b>	28 450 410-28
---	---	---------------

Required miscellaneous

	<b>MADISON Hand shower - Brushed Durabrand (23kt Gold)</b> •spray head Ø 95mm •Hand shower see page {PAGE} •Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate l/min (at 3 bar)	28 002 978-28
---	--	---------------

ST 050 200 1360



## Certificates

WRAS\_2009



MADISON Shower set - Brushed Durabrass (23kt Gold)

MADISON

ST 050 200 1360

Codes & Standards

Scottish Water Byelaws	UK Water Supply Regulations
---------------------------	--------------------------------





MADISON Shower set - Brushed Durabrass (23kt Gold)

MADISON

ST 050 200 1360

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 17 20 708 00 90	fixing set	17	2