

TARA Shower pipe with shower thermostat 220 mm - Brushed Bronze

TARA

ST 050 302 4892



- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- rain shower Ø 220 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

	Brushed Bronze	ST 050 302 4892-42
	Chrome	ST 050 302 4892-00
	Brushed Platinum	ST 050 302 4892-06
	Platinum	ST 050 302 4892-08
	Dark Chrome	ST 050 302 4892-19
	Brushed Durabronze (23kt Gold)	ST 050 302 4892-28
	Matte Black	ST 050 302 4892-33
	Brushed Champagne (22kt Gold)	ST 050 302 4892-46
	Champagne (22kt Gold)	ST 050 302 4892-47
	Brushed Chrome	ST 050 302 4892-93
	Brushed Dark Platinum	ST 050 302 4892-99

Individual components of this set

You need the following components for this set



1x 28 015 979-42



1x 34 458 892-42

# TARA Shower pipe with shower thermostat 220 mm - Brushed Bronze

TARA



























ST 050 302 4892



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- WRAS 2009011

Intrinsic protection against back flow.

Fits: IMO, LULU, MADISON, MEM, TARA,  
CL.1, LISSÉ, VAIA, META, CYO

	Brushed Bronze	28 015 979-4
	Chrome	28 015 979-0
	Chrome	28 015 979-00 001
	Brushed Platinum	28 015 979-0
	Brushed Platinum	28 015 979-06 001
	Platinum	28 015 979-0
	Platinum	28 015 979-08 001
	Dark Chrome	28 015 979-1
	Dark Chrome	28 015 979-19 001
	Light Gold	28 015 979-2
	Light Gold	28 015 979-26 001
	Brushed Light Gold	28 015 979-27 001
	Brushed Light Gold	28 015 979-2
	Brushed Durabronze (23kt Gold)	28 015 979-2
	Brushed Durabronze (23kt Gold)	28 015 979-28 001
	Matte Black	28 015 979-3
	Matte Black	28 015 979-33 001
	Brushed Bronze	28 015 979-42 001
	Brushed Champagne (22kt Gold)	28 015 979-4
	Brushed Champagne (22kt Gold)	28 015 979-46 001
	Champagne (22kt Gold)	28 015 979-4
	Champagne (22kt Gold)	28 015 979-47 001
	Brushed Chrome	28 015 979-9
	Brushed Chrome	28 015 979-93 001
	Brushed Dark Platinum	28 015 979-9
	Brushed Dark Platinum	28 015 979-99 001



TARA Shower pipe with shower thermostat 220 mm - Brushed Bronze

TARA

ST 050 302 4892

2  
—  
0  
—  
0  
—  
6  
—  
0  
—  
8  
—  
0  
—  
9  
—  
0  
—  
6  
—  
0  
—  
0  
—  
7  
—  
8  
—  
0  
—  
3  
—  
0  
—  
0  
—  
6  
—  
0  
—  
7  
—  
0  
—  
3  
—  
0  
—  
9  
—  
0  
—





ST 050 302 4892

mm [inches]



### Flow rate chart



### Certificates

LGA\_29

Codes & Standards

DIN 4109	ISO 3822	Ü-Zeichen
----------	----------	-----------





**Product version from 4/1/2024**

Parts for other  
finishes can be found  
here: [Chrome](#)





TARA Shower pipe with shower thermostat 220 mm - Brushed Bronze

TARA

ST 050 302 4892

**Spare parts list**

**Product version from 4/1/2024**

No.	Item Number	Name	Quantity used	Delivery time
	09 23 01 039 90	sieve	1	2

## TARA Shower pipe with shower thermostat 220 mm - Brushed Bronze

TARA

ST 050 302 4892



- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- rain shower Ø 220 mm
- rain shower with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 2204013

This article does not include a hand shower!

Intrinsic protection against back flow.

	Brushed Bronze	34 458 892-4
	Chrome	34 458 892-0
	Brushed Platinum	34 458 892-0
	Platinum	34 458 892-0
	Dark Chrome	34 458 892-1
	Brushed Durabronze (23kt Gold)	34 458 892-2
	Matte Black	34 458 892-3
	Brushed Champagne (22kt Gold)	34 458 892-4
	Champagne (22kt Gold)	34 458 892-4
	Brushed Chrome	34 458 892-9
	Brushed Dark Platinum	34 458 892-9



TARA Shower pipe with shower thermostat 220 mm - Brushed Bronze


TARA

---


ST 050 302 4892

2  
—  
0  
—  
6  
—  
8  
—  
9  
—  
8  
—  
3  
—  
6  
—  
7  
—  
3  
—  
9  
—

ST 050 302 4892



**Flow rate chart**



**Certificates**

WRAS\_2204

LGA\_38

Belgaqua\_22\_283\_2


Codes & Standards

DIN 4109	EN 1717	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



**Product version from 5/1/2022**

Parts for other  
finishes can be found  
here: [Chrome](#)







TARA Shower pipe with shower thermostat 220 mm - Brushed Bronze

TARA

ST 050 302 4892

**Spare parts list**

**Product version from 5/1/2022**

No.	Item Number	Name	Quantity used	Delivery time
	90 12 05 092 20-42	shower	11	30