

## MEM Bath spout for wall mounting - Brushed Platinum

MEM

13 801 782 Product version from 3/10/2014



- 220mm projection
- rectangular, air-enriched flow
- rosette 60 x 60 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 38.5 l/min at 3 bar flow pressure
- WRAS

|   |                               |               |
|---|-------------------------------|---------------|
|  | Brushed Platinum              | 13 801 782-06 |
|  | Chrome                        | 13 801 782-00 |
|  | Platinum                      | 13 801 782-08 |
|  | Dark Chrome                   | 13 801 782-19 |
|  | Brushed Durabrass (23kt Gold) | 13 801 782-28 |
|  | Brushed Champagne (22kt Gold) | 13 801 782-46 |
|  | Champagne (22kt Gold)         | 13 801 782-47 |
|  | Brushed Dark Platinum         | 13 801 782-99 |

### Recommended miscellaneous



#### **Concealed wall elbow -**

35 085 970 90


- max. recess depth 163 mm
- min. recess depth 90 mm

13 801 782    Product version from 3/10/2014

mm [inches]



Flow rate chart



### Codes & Standards

|                |      |                           |                                |
|----------------|------|---------------------------|--------------------------------|
| ASME A112.18.1 | cUPC | Scottish Water<br>Byelaws | UK Water Supply<br>Regulations |
|----------------|------|---------------------------|--------------------------------|



## MEM Bath spout for wall mounting - Brushed Platinum

---

MEM

13 801 782 Product version from 3/10/2014

### Certificates and sustainability

---

WRAS\_2203

IAPMO\_4976



Spare parts list

| No. | Item Number        | Name    | Quantity used | Delivery time |
|-----|--------------------|---------|---------------|---------------|
| 3   | 04 28 22 290 00-06 | spout   | 1.00          | 10            |
| 1   | 09 14 10 111 90    | seal    | 1.00          | 2             |
| 2   | 90 27 78 035 00-06 | rosette | 1.00          | 10            |