



20 713 811




- 167mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 2111022


NOTE: The handle inserts must be ordered separately from the fittings!

Brushed Durabrass (23kt Gold)	20 713 811-28
Chrome	20 713 811-00
Brushed Platinum	20 713 811-06
Dark Chrome	20 713 811-19
Platinum / Brushed Platinum	20 713 811-36
Durabrass / Brushed Durabrass (23kt Gold)	20 713 811-38
Brushed Dark Platinum	20 713 811-99





#### Flow rate chart



#### Codes & Standards

DIN 4109 ISO 3822 Scottish Water UK Water Supply Byelaws Regulations

Ü-Zeichen



CYO

20 713 811 Certificates

WRAS\_2111


LGA\_38





20 713 811

Parts for other finishes can be found here: Chrome





CYO

20 713 811

### **Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
	13 717 811-28	CYO Deck-mounted basin spout without pop-up waste -	10	20
		Brushed Durabrass (23kt Gold)		