

# Shower set without hand shower - Light Gold

TARA

26 413 625



Fits: TARA, META

- slide bar
- Pipe diameter 18 mm
- rosette Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- WRAS 2009048

**This article does not include a hand shower!**

This article does not include a hand shower!

	Light Gold	26 413 625-26
	Chrome	26 413 625-00
	Brushed Platinum	26 413 625-06
	Platinum	26 413 625-08
	Dark Chrome	26 413 625-19
	Brushed Light Gold	26 413 625-27
	Brushed Durabronze (23kt Gold)	26 413 625-28
	Matte Black	26 413 625-33
	Brushed Bronze	26 413 625-42
	Brushed Champagne (22kt Gold)	26 413 625-46
	Champagne (22kt Gold)	26 413 625-47
	Brushed Chrome	26 413 625-93
	Brushed Dark Platinum	26 413 625-99

## Required miscellaneous

	<b>Concealed wall elbow -</b> •min. recess depth 90 mm •max. recess depth 163 mm	35 085 970 90
--	----------------------------------------------------------------------------------------	---------------

## Required miscellaneous

	<b>Slide unit - Light Gold</b>	12 580 970-26
--	--------------------------------	---------------

## Required miscellaneous

	<b>SERIES-VARIOUS Hand shower - Light Gold</b>	28 029 979-26 0010
--	------------------------------------------------	--------------------

## Required miscellaneous

	<b>Wall elbow - Light Gold</b>	28 450 625-26
--	--------------------------------	---------------

## Required miscellaneous


	<b>Hand shower FlowReduce - Light Gold</b>	28 018 979-26 0010
--	--------------------------------------------	--------------------

## Required miscellaneous

	<b>SERIES-VARIOUS Hand shower - Light Gold</b>	28 027 979-26 0010
--	------------------------------------------------	--------------------


26 413 625

mm [inches]



26 413 625

Product version from 10/1/2023





## Shower set without hand shower - Light Gold

TARA

26 413 625

### Spare parts list

#### Product version from 10/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	05 17 62 500 00 90	fixing set	9	2