

## VAIA Shower set without hand shower - Dark Chrome

VAIA

26 413 809



- slide bar
- rosette Ø 60 mm
- gauge 800 mm
- metal shower hose 1700mm with integrated anti-twist protection
- shower hose connector 3/8"
- Pipe diameter 18 mm
- WRAS

This article does not include a hand shower!

	Dark Chrome	26 413 809-19
	Chrome	26 413 809-00
	Brushed Platinum	26 413 809-06
	Platinum	26 413 809-08
	Brushed Durabronze (23kt Gold)	26 413 809-28
	Brushed Bronze	26 413 809-42
	Brushed Champagne (22kt Gold)	26 413 809-46
	Champagne (22kt Gold)	26 413 809-47
	Brushed Dark Platinum	26 413 809-99

### Recommended miscellaneous



- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
  - min. recess depth 90 mm

### Required miscellaneous



**Hand shower - Dark Chrome** 28 017 979-19

### Required miscellaneous



**Hand shower - Dark Chrome** 28 016 979-19

### Required miscellaneous



**Hand shower - Dark Chrome** 28 012 979-19

### Recommended miscellaneous



**VAIA Wall elbow - Dark Chrome** 28 450 809-19

### Required miscellaneous



**SERIES-VARIOUS Hand shower FlowReduce - Dark Chrome** 28 025 979-19 0010

### Required miscellaneous



**SERIES-VARIOUS Hand shower - Brushed Platinum** 28 029 979-06

### Required miscellaneous



**Hand shower - Dark Chrome** 28 018 979-19

### Required miscellaneous



**Hand shower FlowReduce - Dark Chrome** 28 016 979-19 0010

### Required miscellaneous



**Hand shower FlowReduce - Dark Chrome** 28 012 979-19 0010

### Required miscellaneous




**Hand shower FlowReduce - Dark Chrome** 28 018 979-19 0010

### Required miscellaneous



**SERIES-VARIOUS Hand shower FlowReduce - Dark Chrome** 28 027 979-19 0010

26 413 809



### Codes & Standards

ASME A112.18.1 cUPC

### Certificates and sustainability

IAPMO\_4976

26 413 809

