

VAIA Bath shower set for bath rim or tile edge installation - Brushed Bronze

VAIA

27 632 809 Product version from 4/1/2025



- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- 220mm projection
- height of mixer 347 mm
- height up to aerator 244 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

	Brushed Bronze	27 632 809-42
	Chrome	27 632 809-00
	Brushed Platinum	27 632 809-06
	Platinum	27 632 809-08
	Dark Chrome	27 632 809-19
	Brushed Durabronze (23kt Gold)	27 632 809-28
	Brushed Dark Brass	27 632 809-39
	Brushed Champagne (22kt Gold)	27 632 809-46
	Champagne (22kt Gold)	27 632 809-47
	Brushed Dark Platinum	27 632 809-99

Recommended miscellaneous



Perfecto installation kit - 12 614 970 90


Recommended miscellaneous



Decorative caps for Perfecto - Brushed Bronze 12 801 970-42
• 1 pair

27 632 809 Product version from 4/1/2025

mm [inches]
1:10



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Ü-Zeichen



VAIA Bath shower set for bath rim or tile edge installation - Brushed Bronze


VAIA

27 632 809 Product version from 4/1/2025

Certificates and sustainability

IAPMO_4976

LGA_29



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	13 612 809-42	spout	1.00	-
Spare part can no longer be ordered, please order the replacement item				
1	29 300 809-42	connection	1.00	30
4	27 702 809-42	VAIA Hand shower set for bath rim or tile edge installation - Brushed Bronze	1.00	30
2	29 140 809-42	VAIA Two-way diverter for bath rim or tile edge installation - Brushed Bronze	1.00	30