

Hand shower set with integrated shower holder - Matte Black



























SERIES SPECIFIC

27 803 660 Product version from 8/1/2018 to 6/3/2020



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- Function from: 7 l/min
- WRAS

Intrinsic protection against back flow.

	Matte Black	27 803 660-33
	Chrome	27 803 660-00 0010
	Chrome	27 803 660-00
	Brushed Platinum	27 803 660-06 0010
	Brushed Platinum	27 803 660-06
	Platinum	27 803 660-08
	Platinum	27 803 660-08 0010
	Dark Chrome	27 803 660-19
	Dark Chrome	27 803 660-19 0010
	Light Gold	27 803 660-26 0010
	Light Gold	27 803 660-26
	Brushed Light Gold	27 803 660-27 0010
	Brushed Light Gold	27 803 660-27
	Brushed Durabrass (23kt Gold)	27 803 660-28 0010
	Brushed Durabrass (23kt Gold)	27 803 660-28
	Matte Black	27 803 660-33 0010
	Brushed Dark Brass	27 803 660-39
	Brushed Dark Brass	27 803 660-39 0010
	Brushed Bronze	27 803 660-42
	Brushed Bronze	27 803 660-42 0010
	Brushed Champagne (22kt Gold)	27 803 660-46
	Brushed Champagne (22kt Gold)	27 803 660-46 0010
	Champagne (22kt Gold)	27 803 660-47
	Champagne (22kt Gold)	27 803 660-47 0010
	Brushed Chrome	27 803 660-93
	Brushed Chrome	27 803 660-93 0010

Hand shower set with integrated shower holder - Matte Black


SERIES SPECIFIC

27 803 660

Product version from 8/1/2018 to 6/3/2020

	Brushed Dark Platinum	27 803 660-99
	Brushed Dark Platinum	27 803 660-99 0010

Recommended miscellaneous

	<div>Concealed wall elbow -</div> <div> <div>•max. recess depth 163 mm</div> <div>•min. recess depth 90 mm</div> </div>	35 085 970 90
---	---	---------------

27 803 660 Product version from 8/1/2018 to 6/3/2020

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen




Hand shower set with integrated shower holder - Matte Black

SERIES SPECIFIC

27 803 660 Product version from 8/1/2018 to 6/3/2020

Certificates and sustainability

LGA_29	LGA_29	Belgaqua_24-007-2	WRAS_250402
--------	--------	-------------------	-------------



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	28 490 660-33	Wall elbow with integrated shower holder - Matte Black	1.00	10
3	90 30 02 072 00-33	Metal shower hose 1/2" x 3/8" x 1250 mm - Matte Black	1.00	30
1	28 014 979-33	shower	1.00	60
4	90 14 20 026 00 90	seal	1.00	2