





DORNBRAUCHT YAMOU Hand shower set with integrated shower holder - Soft Black

DORNBRAUCHT YAMOU

27 803 831 Product version from 1/1/2023




- COMPACT RAIN, max. flow rate 8.6 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- Function from: l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 55 mm
- 1/2" wall elbow
- 1/2" shower outlet
- max. flow 8.6 l/min
- WRAS

	Soft Black	27 803 831-69
	Chrome	27 803 831-00


DORNBRAUCHT YAMOU Hand shower set with integrated shower holder - Soft Black

DORNBRAUCHT
YAMOU

27 803 831 Product version from 1/1/2023
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



DORNBRACHT YAMOU Hand shower set with integrated shower holder - Soft Black

DORNBRACHT
YAMOU

27 803 831 Product version from 1/1/2023

Certificates and sustainability


LGA_29

WRAS_2303

DORNBACHT YAMOU Hand shower set with integrated shower holder - Soft Black

DORNBACHT
YAMOU

27 803 831 Product version from 1/1/2023
Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	90 30 03 010 00-69	hose	1.00	2
2	90 27 83 023 00-69	connection	1.00	2
1	90 12 11 183 00-69	shower	1.00	2