

27 808 809



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- WRAS 1810007

Intrinsic protection against back flow.

	Brushed Dark Platinum	27 808 809-99
	Chrome	27 808 809-00
	Chrome	27 808 809-00 0010
	Brushed Platinum	27 808 809-06
	Brushed Platinum	27 808 809-06 0010
	Platinum	27 808 809-08 0010
	Platinum	27 808 809-08
	Dark Chrome	27 808 809-19 0010
	Brushed Durabronze (23kt Gold)	27 808 809-28 0010
	Brushed Durabronze (23kt Gold)	27 808 809-28
	Brushed Bronze	27 808 809-42
	Brushed Bronze	27 808 809-42 0010
	Brushed Champagne (22kt Gold)	27 808 809-46 0010
	Champagne (22kt Gold)	27 808 809-47 0010
	Brushed Dark Platinum	27 808 809-99 0010


Recommended miscellaneous

- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
  - min. recess depth 90 mm



27 808 809

mm [inches]



Flow rate chart




Certificates

LGA\_28437.

LGA\_29985.

Belgaqua\_22\_280\_2 WRAS\_1810007.  
7\_7.

27 808 809



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 019 979-99	Hand shower - Brushed Dark Platinum	1	30
2	28 450 809-99	VAIA Wall elbow - Brushed Dark Platinum	1	30
3	28 050 809-99	VAIA Wall bracket - Brushed Dark Platinum	1	30
4	90 14 20 026 00 90	seal	1	2
5	90 30 02 072 00-99	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Dark Platinum	1	30